CLIENT'S INFORMATION:

CONTACT:

E-MAIL ADDRESS:

PHONE NUMBER:

TRADE COST

SCOPE: Everything

150 S INDEPENDENCE MALL WEST PHILADELPHIA, PA 19106

PROJECT ID:

						,,	
ITEM#	DWG.#	DESCRIPTION	QUANTITY	UNIT	UNIT COST	TOTAL COST	
		GENERAL REQUIREMENTS					
1		Supervision	1	LS	\$0	\$0	
2		Permits	1	LS	\$0	\$0	
3		Final Clean-up	1	LS	\$0	\$0	
4		Mobilization Costs	1	LS	\$0	\$0	
5		Project Overheads	1	LS	\$0	\$0	
6		Bonds	1	LS	\$0	\$0	
7		Temporary Control & Facilities	1	LS	\$0	\$0]
8		Scaffolding	1	SF	\$0	\$0	
		Subtotal (General Requirements)					

6		Bonds	1	LS	\$0	\$0
7		Temporary Control & Facilities	1	LS	\$0	\$0
8		Scaffolding	1	SF	\$0	\$0
		Subtotal (General Requirements)			, -	, -
		DIVISION 05- METAL				
		METAL COLUMN				
9		HSS4X4X1/2	5611.5	LB	\$0	\$0
10		HSS4X4X1/4	4721.4	LB	\$0	\$0 \$0
11		HSS6X6X3/8	3945.6	LB	\$0	\$0
12	S2-S4	4"-10GA Metal Stud (Type 400S200-1 <mark>18)</mark>	252	FT	\$0	\$0
		With Cap Track 400T162-43)			1.	, -
13		6''-16GA Metal Stud (Type 600S200-5 <mark>4)</mark>	24	FT	\$0	\$0
		With Cap Track 400T162-43)	- 1		70	, , , , , , , , , , , , , , , , , , ,
		HEADER				
14	S2-S5	10 GA Metal Header Box (Type 800S200-118)	36.2	FT	\$0	\$0
15	32-33	16 GA Metal Stud Box Header (Type 800S200-54)	47	FT	\$0	\$0
		BEAM	h.			
		W10X15				4 -
16		SFRM Applied Directly To Beam Thickness According to MFR	2221.5	LB	\$0	\$0
		W10X30				
17		SFRM Applied Directly To Beam Thickness According to MFR	1216.2	LB	\$0	\$0
		W12x14				
18			15750	LB	\$0	\$0
		SFRM Applied Directly To Beam Thickness According to MFR				
19		W12x16	8016	LB	\$0	\$0
		SFRM Applied Directly To Beam Thickness According to MFR				·
20		W12x35	10045	LB	\$0	\$0
		SFRM Applied Directly To Beam Thickness According to MFR	100.0		ų v	40
21		W12X45	3908.7	LB	\$0	\$0
21	S2-S5	SFRM Applied Directly To Beam Thickness According to MFR	3908.7	LD	ŞU	ŞÜ
22	32-33	W12X50	1460 5	5	ćo	ćo
22		SFRM Applied Directly To Beam Thickness According to MFR	1460.5	LB	\$0	\$0
22		W12X53	2017 -		40	4.5
23		SFRM Applied Directly To Beam Thickness According to MFR	3047.5	LB	\$0	\$0
		W12X65				
24		SFRM Applied Directly To Beam Thickness According to MFR	4285.45	LB	\$0	\$0
		W8x10				
25		SFRM Applied Directly To Beam Thickness According to MFR	1326.1	LB	\$0	\$0
		W8x13				
26			1614.86	LB	\$0	\$0
		SFRM Applied Directly To Beam Thickness According to MFR				
27		W8x58	926.26	LB	\$0	\$0
		SFRM Applied Directly To Beam Thickness According to MFR		7 17		
		TIS TIME II		- 1- 1		
		LINTELS				
28	S3-S5	W6X9	443.43	LB	\$0	\$0
	0.3125	ANGLE				
26	-	L4-1/2X4-1/2X5/16 Cont Angle With 3/4" Dia Anchor bolt & 1/4"	4646.672		40	40
29		Washer Plate @ 24" O.C	4610.672	LB	\$0	\$0
		L4x4x3/8 Ledger Angle With 5/8" Dia Bolt & Washer With Hlti Hit Hy-				
30		270 Anchors @ 16" O.C	2990.0664	LB	\$0	\$0
	כם כד					
31	S2-S5	L3x3x3/8x 6" Long Clip Angle Connection With 3/4" Dia A325 Bolt S101/9	530.58	LB	\$0	\$0
		11 2 112 113				

PROJECT ID: 150 S INDEPENDENCE MALL WEST PHILADELPHIA, PA 19106

Everything

CLIENT'S INFORMATION:

CONTACT: **E-MAIL ADDRESS:**

PHONE NUMBER:

Date:

09/22/23

ITEM #	DWG.#	DESCRIPTION	QUANTITY	UNIT	UNIT COST	TOTAL COST	TRADE COST
32		L1-1/2x1-1/2x54 Mil x 11" Long @ 16" O.C With 4-#10 Leg Screw	807	FT	\$0	\$0	
33		600T150-54 With Carrier Track With #10 EA Leg Splice	1167	FT	\$0	\$0	
34		6"-12 GA RIM Track	307.62	FT	\$0	\$0	ĺ
		JOIST					
35		8" - 14 GA @ 16" O.C Metal Floor Joists (Type 800S350-68)	3790	FT	\$0	\$0	
36	S3	8" - 10 GA @ 16" O.C Metal Floor joist (Type 800S350-118)	1530	FT	\$0	\$0	
37		8" - 16 GA @ 16" O.C Metal Floor Joists (Type 800S350-54)	4485	FT	\$0	\$0	
		JOIST					
38		8"-16 GA @ 12" O.C Metal Floor joists (Type 800S350-54)	4136	FT	\$0	\$0	
39	S4	8"-10 GA @ 12" O.C Metal Floor joists (Type 800S350-118)	709	FT	\$0	\$0	
40		8"-12 GA @ 12" O.C Metal Floor joists (Type 800S350-97)	8350	FT	\$0	\$0	
		JOIST					
41	S5	6" 12 GA @ 16" O.C Metal Floor Joists (Type 600S300-97)	502	FT	\$0	\$0	
42	33	6"-14 GA @ 16" O.C MEtal Floor Joist (Type 600S250-68)	2045	FT	\$0	\$0	
		DECKING					
43	S2-S5	1-1/2" Deep LOK Floor Galv Metal Deck	31535.02	SF	\$0	\$0	
		PLATES					
44		1/2" Thick Steel Bearing Plate With 2-3/4" Dia Epoxy Bolt S101/18 2"	23	EA	\$0	\$0	
77		Thick Solid Grout	23		70	70	
45		9"x4"x3/8" Plate With 3-3/4" Dia A32 <mark>5 Bolt</mark>	118	EA	\$0	\$0	
46		16"x4"x3/8" Steel Bearing Plate with 2-1/2" Dia x 8" Long Studs 2"	34	EA	\$0	\$0	
40		Thick Leveling Grout	34		γo	, -	
47	S2-S5	Pour Stop	1979.99	FT	\$0	\$0	_
48		12"x7"x3/4" Cap Plate With 4-3/4" Dia Bolt	50	EA	\$0	\$0	_
49		16"x7"x1-1/2" Base Plate With 4-3/4" dia Bolt S101/1	37	EA	\$0	\$0	1
50		3/8" Thick Stiff Plate S101/1	148	EA	\$0	\$0	1
51		10"X5"X3/4" Base Plate With 4-3/4" Dia Bolt S101/8	14	EA	\$0	\$0	1
52		3/8" Thick Stiff Plate S101/8	56	EA	\$0	\$0	1
							1
		METAL WALL STUDS					1
53	S2	4"-14GA Metal Stud @ 16" O.C (Type 400S200-68)	1987.84962	FT	\$0	\$0	
	32	With Cap Track 400T162-43	1307.01302		, , ,	, , ,	1
		METAL WALL STUD					1
54	- S3	4"-14GA Metal Stud @ 16" O.C (Type 400S200-68)	2042.39098	FT	\$0	\$0	
J.4		With Cap Track 400T162-43			٦٥	٦٠	1
55		4"-20 GA Metal Stud @ 16" O.C (Type 400S200-33) With Cap Track	204.225564	FT	\$0	\$0	
		400T162-43)					1
							4.0
		Subtotal (Metal)					<u>\$0</u>

SUBTOTAL \$0.00 \$0.00 **OVERHEAD & PROFIT** 0 \$0.00 **INSURANCE** CONTINGENCY \$0.00 **TOTAL BASE BID** \$0.00

Note:

SCOPE: